



TECHNICAL DATA SHEET

GMUND CREATIVE SYSTEM | GMUND CANVAS

908 | 300 g/m²

Grammage	ISO 536, g/m ² :	285 - 315
Caliper	ISO 534, μm:	440 ± 35
Bulk	ISO 534, cm ³ /g:	1.5 ± 0.15
Ash	DIN 54370, %:	> 3
Tensile Index	ISO 1924-2:	
	mean value, length and cross, m:	≥ 2400
	length, m:	≥ 3000
	cross, m:	≥ 1800
Tear Index, Elmendorf method	ISO 1974:	
	mean value, length and cross, mN:	≥ 1800
Dennison-Waxtest	US D2482-66T:	≥ 12
Water Absorption	ISO 535:	
	Cobb 60, g/m ² :	40 ± 10
pH-Value	DIN 53124:	≥ 7.5