



















































































DIGITAL PRINT MEDIA
LAMINATES
MOUNTING FILMS





















































































SELECTION GUIDE

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE	
MATTE WHITES	201 3.4 mil - Matte White Vinyl Clear Permanent Adhesive 90# Layflat Liner	5 yr / -	201-30 201-54 201-60 201-54300*NEW 201-60300*NEW	30"x150' 54"x150' 60"x150' 54"x300' 60"x300'	   	
	201HTAP 3.4 mil - Matte White Vinyl Clear High-Tack Permanent Adhesive 90# Layflat Liner	5 yr / -	201HTAP-54 201HTAP-60 201HTAP-54300*NEW 201HTAP-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	   	
	201HTAPAE NEW 3.4 mil - Matte White Vinyl Clear High-Tack Permanent Adhesive 90# Air Egress Layflat Liner	5 yr / -	201HTAPAE-54 201HTAPAE-60	54"x150' 60"x150'	   	
	201OAP 3.4 mil - Matte White Opaque Vinyl Grey Permanent Adhesive 90# Layflat Liner	5 yr / -	201OAP-30 201OAP-54 201OAP-60	30"x150' 54"x150' 60"x150'	   	
	201OAPAE 3.4 mil - Matte White Opaque Vinyl Grey Permanent Adhesive 90# Air Egress Layflat Liner	5 yr / -	201OAPAE-54 201OAPAE-60 NEW 201OAPAE-54300*NEW 201OAPAE-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	   	
	202 3.4 mil - Matte White Vinyl Clear Low-Tack Removable Adhesive 90# Layflat Liner	5 yr / 1 yr	202-30 202-54 202-60	30"x150' 54"x150' 60"x150'	   	
	209 MetroMark™ 3.5 mil - Matte White Opaque Vinyl Clear Removable Adhesive 90# Printed Logo Layflat Liner	5 yr / 1 yr	209-54 209-62 209-64	54"x150' 62"x150' 64"x150'	   	
	214 3.2 mil - Matte White Promotional Vinyl Clear Permanent Adhesive 90# Layflat Liner	3 yr / -	214-30 214-54 214-60	30"x150' 54"x150' 60"x150'	   	
	222 6.0 mil - Matte White Semi-Rigid Vinyl Clear Permanent Adhesive 90# Tight Release Layflat Liner	3 yr / -	222-30 222-54 222-60 222-54300*NEW 222-60300*NEW	30"x100' 54"x100' 60"x100' 54"x300' 60"x300'	   	
	223 6.0 mil - Matte White Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	223-30 223-54 223-60 223-54300*NEW 223-60300*NEW	30"x100' 54"x100' 60"x100' 54"x300' 60"x300'	   	
	GLOSS WHITES	203 3.0 mil - Gloss White Vinyl Clear Permanent Adhesive 90# Layflat Liner	5 yr / -	203-30 203-54 203-60 203-54300*NEW 203-60300*NEW	30"x150' 54"x150' 60"x150' 54"x300' 60"x300'	   
		203HTAP NEW 3.0 mil - Gloss White Vinyl Clear High-Tack Permanent Adhesive 90# Layflat Liner	5 yr / -	203HTAP-54 203HTAP-60	54"x150' 60"x150'	   
		203HTAPAE NEW 3.0 mil - Gloss White Vinyl Clear High-Tack Permanent Adhesive 90# Air Egress Layflat Liner	5 yr / -	203HTAPAE-54 203HTAPAE-60	54"x150' 60"x150'	   
		203OAP 3.0 mil - Gloss White Opaque Vinyl Grey Permanent Adhesive 90# Layflat Liner	5 yr / -	203OAP-30 203OAP-54 203OAP-60	30"x150' 54"x150' 60"x150'	   
		203OAPAE 3.0 mil - Gloss White Opaque Vinyl Grey Permanent Adhesive 90# Air Egress Layflat Liner	5 yr / -	203OAPAE-54 203OAPAE-60*NEW 203OAPAE-54300*NEW 203OAPAE-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	   
		204 3.0 mil - Gloss White Vinyl Clear Low-Tack Removable Adhesive 90# Layflat Liner	5 yr / 1 yr	204-30 204-54 204-60	30"x150' 54"x150' 60"x150'	   
		216 3.2 mil - Gloss White Promotional Vinyl Clear Permanent Adhesive 90# Layflat Liner	3 yr / -	216-30 216-54 216-60	30"x150' 54"x150' 60"x150'	   
		218 WindowMark™ Blockout 8.0 mil - Gloss White Dual-Layer Blockout Vinyl Clear Removable Adhesive 90# Layflat Liner	3 yr / 1 yr	218-54 218-60	54"x100' 60"x100'	   
		220 6.0 mil - Gloss White Semi-Rigid Vinyl Clear Permanent Adhesive 90# Tight Release Layflat Liner	3 yr / -	220-30 220-54 220-60	30"x100' 54"x100' 60"x100'	   
		221 6.0 mil - Gloss White Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	221-30 221-54 221-60	30"x100' 54"x100' 60"x100'	   

General Digital Continued on Page 3

*Please note 300" size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.


























































GENERAL DIGITAL cont.
 GLOSS WHITE PREMIUM
 GLOSS CLEARS
 MATTE CLEARS
 SEMI-RIGIDS

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
230	AutoMark™ 2.4 mil - Gloss White Conformable Vinyl Grey Solvent Permanent Repositionable Adhesive 90# Air Egress Layflat Liner	7 yr / 2 yr	230-54 230-60 230-54300*NEW 230-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	    
246	2.4 mil - Gloss White Premium Vinyl Grey Solvent Permanent Repositionable Adhesive 90# Layflat Liner	7 yr / 2 yr	246-54	54"x150'	   
333 NEW	AutoMark™ DRIFT™ PW 3.0 mil - Gloss White Polymeric Wrap Vinyl Grey Solvent Permanent Slideable Repositionable Adhesive 105# Air Egress Layflat Liner	7 yr / 2 yr	333-54 333-60 333-54300*NEW 333-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	    
205	3.0 mil - Gloss Clear Vinyl Clear Permanent Adhesive 90# Layflat Liner	3 yr / -	205-30 205-54 205-60	30"x150' 54"x150' 60"x150'	    
206	3.0 mil - Gloss Clear Vinyl Clear Low-Tack Removable Adhesive 90# Layflat Liner	3 yr / 1 yr	206-30 206-54 206-60	30"x150' 54"x150' 60"x150'	    
219	6.0 mil - Gloss Clear Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	219-54	54"x100'	    
247 NEW	Print-n-Lam™ 3.0 mil - Gloss Clear UV Polymeric Vinyl Clear Permanent Adhesive 90# Layflat Liner <i>*Can also be used as a UV inhibited laminate</i>	7 yr / -	247-54 247-60	54"x150' 60"x150'	    
255	OptiMark™ 3.0 mil - Optically Clear Gloss Vinyl Optically Clear Solvent Removable Adhesive 2.0 mil Traction Backed Polyester Liner	3 yr / 1 yr	255-54 255-60	54"x150' 60"x150'	    
248 NEW	Print-n-Lam™ 3.0 mil - Matte Clear UV Polymeric Vinyl Clear Permanent Adhesive 90# Layflat Liner <i>*Can also be used as a UV inhibited laminate</i>	7 yr / -	248-54 248-60	54"x150' 60"x150'	    
287	RoughMark™ Clear 3.0 mil - Matte Clear Conformable Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner <i>(If Laminate is desired, 242 Gloss Laminate is recommended)</i>	5 yr / 6 mo	287-54 287-5475 287-60 287-6075	54"x150' 54"x75' 60"x150' 60"x75'	    
218	WindowMark™ Blockout 8.0 mil - Gloss White Dual-Layer Blockout Vinyl Clear Removable Adhesive 90# Layflat Liner	3 yr / 1 yr	218-54 218-60	54"x100' 60"x100'	    
219	6.0 mil - Gloss Clear Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	219-54	54"x100'	    
220	6.0 mil - Gloss White Semi-Rigid Vinyl Clear Permanent Adhesive 90# Tight Release Layflat Liner	3 yr / -	220-30 220-54 220-60	30"x100' 54"x100' 60"x100'	    
221	6.0 mil - Gloss White Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	221-30 221-54 221-60	30"x100' 54"x100' 60"x100'	    
222	6.0 mil - Matte White Semi-Rigid Vinyl Clear Permanent Adhesive 90# Tight Release Layflat Liner	3 yr / -	222-30 222-54 222-60 222-54300*NEW 222-60300*NEW	30"x100' 54"x100' 60"x100' 54"x300' 60"x300'	    
223	6.0 mil - Matte White Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	223-30 223-54 223-60 223-54300*NEW 223-60300*NEW	30"x100' 54"x100' 60"x100' 54"x300' 60"x300'	    
226	WallMark™ 6.0 mil - Matte White Semi-Rigid Vinyl Clear Low-Tack Microsphere Beaded Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	226-54 226-60 226-54300*NEW 226-60300*NEW	54"x100' 60"x100' 54"x300' 60"x300'	    

*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.

NOTE: All durability statements are estimates based on unprinted media and deemed to be reliable; however, this information is given without a guarantee and does not constitute a written warranty. Please refer to the specific technical data sheets for further information at www.generalformulations.com.

GENERAL
 WINDOWS
 PERFORATED




SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
202	3.4 mil - Matte White Vinyl Clear Low-Tack Removable Adhesive 90# Layflat Liner	5 yr / 1 yr	202-30 202-54 202-60	30"x150' 54"x150' 60"x150'	   
204	3.0 mil - Gloss White Vinyl Clear Low-Tack Removable Adhesive 90# Layflat Liner	5 yr / 1 yr	204-30 204-54 204-60	30"x150' 54"x150' 60"x150'	   
206	3.0 mil - Gloss Clear Vinyl Clear Low-Tack Removable Adhesive 90# Layflat Liner	3 yr / 1 yr	206-30 206-54 206-60	30"x150' 54"x150' 60"x150'	   
218	WindowMark™ Blockout 8.0 mil - Gloss White Dual-Layer Blockout Vinyl Clear Removable Adhesive 90# Layflat Liner	3 yr / 1 yr	218-54 218-60	54"x100' 60"x100'	   
219	6.0 mil - Gloss Clear Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	219-54	54"x150'	   
221	6.0 mil - Gloss White Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	221-30 221-54 221-60	30"x100' 54"x100' 60"x100'	   
223	6.0 mil - Matte White Semi-Rigid Vinyl Clear Low-Tack Removable Adhesive 90# Tight Release Layflat Liner	3 yr / 1 yr	223-30 223-54 223-60 223-54300*NEW 223-60300*NEW	30"x100' 54"x100' 60"x100' 54"x300' 60"x300'	   
228	TransMark™ 6.0 mil - Matte White Translucent Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner <small>curb Taxi Top approved product</small>	3 yr / 1 yr	228-54 228-60	54"x100' 60"x100'	   
255	OptiMark™ 3.0 mil - Optically Clear Gloss Vinyl Optically Clear Solvent Removable Adhesive 2.0 mil Traction Backed Polyester Liner	3 yr / 1 yr	255-54 255-60	54"x150' 60"x150'	   
232	WindowMark™ 6.0 mil - Matte White Perforated 50/50 Film White Face/Black Back - Clear Removable Adhesive 84# Layflat with Dual Liner Technology (242 Laminate Recommended) <small>OUTFRONT media approved product</small>	2 yr / 1 yr	232-3025 232-5425 232-6025 232-30 232-54 232-60	30"x25' 54"x25' 60"x25' 30"x100' 54"x100' 60"x100'	   
260	WindowMark™ 6.0 mil - Matte White Perforated 60/40 Film White Face/Black Back - Clear Removable Adhesive 84# Layflat with Dual Liner Technology (242 Laminate Recommended) <small>OUTFRONT media approved product</small>	2 yr / 1 yr	260-5425 260-6025 260-54 260-60	54"x25' 60"x25' 54"x100' 60"x100'	   
261	WindowMark™ 6.0 mil - Gloss Clear Perforated 60/40 Film Clear Face/Clear Back - Clear Removable Adhesive 84# Layflat with Dual Liner Technology (242 Laminate Recommended)	2 yr / 1 yr	261-54 261-60	54"x100' 60"x100'	    White Ink Systems Only
270	WindowMark™ 6.0 mil - Matte White Perforated 70/30 Film White Face/Black Back - Clear Removable Adhesive 84# Layflat with Dual Liner Technology (242 Laminate Recommended)	2 yr / 1 yr	270-5425 270-6025 270-54 270-60	54"x25' 60"x25' 54"x100' 60"x100'	   
280	WindowMark™ 6.0 mil - Matte White Perforated 80/20 Film White Face/Black Back - Clear Removable Adhesive 84# Layflat with Dual Liner Technology (242 Laminate Recommended)	2 yr / 1 yr	280-5425 280-6025 280-54 280-60	54"x25' 60"x25' 54"x100' 60"x100'	   
242	2.0 mil - Optically Clear UV Gloss Cast Laminate Optically Clear Solvent Permanent Adhesive 2.0 mil Smooth Frosted Polyester Liner <small>OUTFRONT media approved product</small>	7 yr / -	242-54 242-60	54"x150' 60"x150'	

Window Films Continued on Page 5

*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.

WINDOWS cont. — SPECIALTY — STATIC CLING









WALLS — INDOOR VINYL — INDOOR FABRIC

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
*207	7.0 mil - Clear Static Cling 90# Layflat Liner	3 mo / -	207-27 207-54 207-5415 207-60 207-6015 207-54300*NEW 207-60300*NEW	27"x75' 54"x75' 54"x150' 60"x75' 60"x150' 54"x300' 60"x300'	
*208	7.0 mil - White Static Cling 90# Layflat Liner	3 mo / -	208-27 208-54 208-5415 208-60 208-6015 208-54300*NEW 208-60300*NEW	27"x75' 54"x75' 54"x150' 60"x75' 60"x150' 54"x300' 60"x300'	
*NOT INTENDED FOR INSIDE MOUNT APPLICATIONS. PLEASE SEE TECHNICAL DATA SHEET AT WWW.GENERALFORMULATIONS.COM FOR SPECIFIC INSTALLATION INSTRUCTIONS.					
+290	ChalkMark™ 5.0 mil - Matte Black Chalkboard Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner <i>(UV Curable & HP Latex R-Series White Ink Only) Indoor/Outdoor</i>	3 yr / 1 yr	290-24 290-48 290-4875 290-60 290-6075	24"x150' 48"x150' 48"x75' 60"x150' 60"x75'	
790AE	Print-n-Privacy™ 3.0 mil - Polymeric Glass Etch Vinyl (Light) Clear Solvent Permanent Adhesive 90# Paper Air Egress Liner <i>(Dry Apply Only)</i>	7 yr / -	790AE-54 790AE-5475 790AE-60 790AE-6075	54"x150' 54"x75' 60"x150' 60"x75'	
+ ASTM E84 Class 1 or A (Rating Standard Test Method for Surface Burning Characteristics of Building Materials)					
+226	WallMark™ 6.0 mil - Matte White Semi-Rigid Wall Vinyl Clear Low-Tack Microsphere Beaded Adhesive 90# Tight Release Liner	*5 yr / 1 yr	226-54 226-60 226-54300*NEW 226-60300*NEW	54"x100' 60"x100' 54"x300' 60"x300'	
**226HTR NEW	WallMark™ HTR 6.0 mil - Matte White Semi-Rigid Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	226HTR-54	54"x100'	
+229	WallMark Canvas 6.0 mil - Matte White Embossed Canvas Wall Vinyl Clear Low-Tack Microsphere Beaded Adhesive 90# Tight Release Liner	*5 yr / 1 yr	229-54 229-60	54"x100' 60"x100'	
**229HTR NEW	WallMark™ Canvas HTR 6.0 mil - Matte White Embossed Canvas Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	229HTR-54 229HTR-60	54"x100' 60"x100'	
+262HTR NEW	WallMark™ Sand HTR 6.0 mil - Matte White Sand Embossed Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	262HTR-54	54"x100'	
+263HTR NEW	WallMark™ Stucco HTR 6.0 mil - Matte White Stucco Embossed Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	263HTR-54	54"x100'	
+264HTR NEW	WallMark™ Leather HTR 6.0 mil - Matte White Leather Embossed Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	264HTR-54	54"x100'	
+290	ChalkMark™ 5.0 mil - Matte Black Chalkboard Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner <i>(UV Curable & HP Latex R-Series White Ink Only)</i>	*5 yr / 1 yr	290-24 290-48 290-4875 290-60 290-6075	24"x150' 48"x150' 48"x75' 60"x150' 60"x75'	
* Indoor Durability of Material Under Normal Conditions + ASTM E84 Class 1 or A (Rating Standard Test Method for Surface Burning Characteristics of Building Materials)					
234	GraphiTex™ 7.0 mil - Matte White Polyester Wall Fabric Clear Repositionable Wall Adhesive 90# Layflat Liner	*10 yr / 1 yr	234-54 234-60 234-54300*NEW 234-60300*NEW	54"x100' 60"x100' 54"x300' 60"x300'	
+253 NEW	GraphiTex™ Opaque 6.0 mil - Matte White Opaque Polyester Wall Fabric Clear Repositionable Wall Adhesive 90# Layflat Liner	*10 yr / 1 yr	253-54	54"x100'	
+295 NEW	GraphiTex™ Ultra 9.5 mil - Matte White Polyester Wall Fabric Clear Repositionable Wall Adhesive 90# Layflat Liner	*10 yr / 1 yr	295-54	54"x100'	
* Indoor Durability of Material Under Normal Conditions + ASTM E84 Class 1 or A (Rating Standard Test Method for Surface Burning Characteristics of Building Materials)					

Wall Films Continued on Page 6













*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.

WALLS cont.
INDOOR / OUTDOOR

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
+285	RoughMark™ 3.5 mil - Matte White Opaque Conformable Wall Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner (If Laminate is desired, 242 Gloss Laminate is recommended)	5 yr / 6 mo	285-54 285-5475 285-60 285-6075	54"x150' 54"x75' 60"x150' 60"x75'	   
+287	RoughMark™ Clear 3.0 mil - Matte Clear Conformable Wall Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner (If Laminate is desired, 242 Gloss Laminate is recommended)	5 yr / 6 mo	287-54 287-5475 287-60 287-6075	54"x150' 54"x75' 60"x150' 60"x75'	   









+ ASTM E84 Class 1 or A (Rating Standard Test Method for Surface Burning Characteristics of Building Materials)

FLOOR & COUNTER

*210	Traffic Graphic™ 3.4 mil - Matte White "Floor Advertising" Vinyl Clear Removable Adhesive 90# Layflat Liner	5 yr / 6 mo	210-54 210-60	54"x150' 60"x150'	   
*212	Traffic Graphic™ 3.4 mil - Matte White "Carpet Advertising" Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner	5 yr / 6 mo	212-54	54"x150'	   
109	Traffic Graphic™ 5.0 mil - Scratch Resistant Textured Matte Vinyl Floor Laminate Clear Solvent Permanent Adhesive 1.5 mil Clear Polyester Liner Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 65 Wet PTV: 29 • ANSI A137.1/A326.3 - Dry DCOF: 0.96 Wet DCOF 0.28 • DIN 51130 - R9	- / -	109-38 109-51 109-54 109-54300*NEW	38"x150' 51"x150' 54"x150' 54"x300'	
211	Traffic Graphic™ 6.0 mil - Gloss Clear Light Emboss Floor Laminate Clear Permanent Adhesive 53# Liner Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 81 Wet PTV: 20 • ANSI A137.1/A326.3 - Dry DCOF: 0.94 Wet DCOF 0.29	- / -	211-54	54"x150'	
213	Traffic Graphic™ 3.75 mil - Embossed Clear Polypropylene Floor Laminate Clear Permanent Adhesive 53# Liner <i>Indirect Food Contact Solution - The film and adhesive complies with the following citations in 21CFR 174 thru 182 and 21CFR 175.105 respectively</i> Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 66 Wet PTV: 30 • ANSI A137.1/A326.3 - Dry DCOF: 0.94 Wet DCOF 0.29 • DIN 51130 - R9	- / -	213-54 213-60	54"x150' 60"x150'	
217	Traffic Graphic™ 3.0 mil - Gloss Clear Vinyl Floor Laminate Clear Permanent Adhesive 53# Liner Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 79 Wet PTV: 18 • ANSI A137.1/A326.3 - Dry DCOF: 0.96 Wet DCOF 0.24	- / -	217-54	54"x150'	

*DURABILITY AND REMOVABILITY SPECIFICATIONS ARE CONTINGENT UPON USING TRAFFIC GRAFFIC MATCHED COMPONENT SYSTEM (GF BASE MEDIA & GF UL RATED LAMINATE)

TRANSLUCENTS

224	TransMark™ 3.2 mil - Matte White Translucent Vinyl Clear Solvent Permanent Adhesive 90# Layflat Liner	5 yr / -	224-30 224-54 224-60	30"x150' 54"x150' 60"x150'	   
228	TransMark™ 6.0 mil - Matte White Translucent Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner curb <small>Taxi Media</small> <i>Taxi Top approved product</i>	3 yr / 1 yr	228-54 228-60	54"x100' 60"x100'	   

WRAPS
GENERAL
CARBON FIBER







230	AutoMark™ 2.4 mil - Gloss White Semi-Conformable Wrap Vinyl Grey Solvent Permanent Repositionable Adhesive 90# Air Egress Layflat Liner (231, 240 & 242 Laminate Recommended)	7 yr / 2 yr	230-54 230-60 230-54300*NEW 230-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	   
333 NEW	AutoMark™ DRIFT™ PW 3.0 mil - Gloss White Polymeric Wrap Vinyl Grey Solvent Permanent Slideable Repositionable Adhesive 105# Air Egress Layflat Liner (For Partial Wraps: 231, 240 & 242 Laminate Recommended) (For Flat or General Signage: 247 & 248 Laminate Recommended)	7 yr / 2 yr	333-54 333-60 333-54300*NEW 333-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	   
780	DragonWrap™ 5.6 mil - Polymeric Black Carbon Fiber Clear Solvent Repositionable Permanent Adhesive 90# Air Egress Layflat Liner (UV Curable & UV Latex Ink Only)	5 yr / 2 yr	780-30U 780-60U	30"x150' 60"x150'	   

*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.

TRANSIT

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
209	MetroMark™ 3.5 mil - Matte White Opaque Transit Vinyl Clear Removable Adhesive 90# Printed Logo Layflat Liner OUTFRONT™ and JCDecaux approved product	5 yr / 1 yr	209-54 209-62 209-64	54"x150' 62"x150' 64"x150'	
275	SubMark™ 3.5 mil - Matte White Opaque Transit Vinyl Clear Solvent High-Tack Permanent Adhesive 90# Printed Logo Layflat Liner OUTFRONT™ approved product	5 yr / -	275-54 275-60 275-62	54"x150' 60"x150' 62"x150'	
277 NEW	MetroGrafix™ 4.0 mil - Matte White Opaque Conformable Vinyl Clear Solvent Removable Adhesive 90# Printed Logo Layflat Liner OUTFRONT™ approved product	5 yr / 1 yr	277-54	54"x150'	
228	TransMark™ 6.0 mil - Matte White Translucent Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner cu'b Taxi Top approved product	3 yr / 1 yr	228-54 228-60	54"x100' 60"x100'	
232	WindowMark™ 6.0 mil - Matte White Perforated 50/50 Film White Face/Black Back - Clear Removable Adhesive 84# Layflat with Dual Liner Technology (242 Laminate Recommended) OUTFRONT™ approved product	2 yr / 1 yr	232-3025 232-5425 232-6025 232-30 232-54 232-60	30"x25' 54"x25' 60"x25' 30"x100' 54"x100' 60"x100'	
260	WindowMark™ 6.0 mil - Matte White Perforated 60/40 Film White Face/Black Back - Clear Removable Adhesive 84# Layflat with Dual Liner Technology (242 Laminate Recommended) OUTFRONT™ approved product	2 yr / 1 yr	260-5425 260-6025 260-54 260-60	54"x25' 60"x25' 54"x100' 60"x100'	
285	RoughMark™ 3.5 mil - Matte White Opaque Conformable Wall Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner (If Laminate is desired, 242 Laminate Recommended) OUTFRONT™ approved product	5 yr / 6 mo	285-54 285-5475 285-60 285-6075	54"x150' 54"x75' 60"x150' 60"x75'	
333 NEW	AutoMark™ DRIFT™ PW 3.0 mil - Gloss White Polymeric Wrap Vinyl Grey Solvent Permanent Slideable Repositionable Adhesive 105# Air Egress Layflat Liner (For Partial Wraps: 231, 240 & 242 Laminate Recommended) (For Flat or General Signage: 247 & 248 Laminate Recommended)	7 yr / 2 yr	333-54 333-60 333-54300*NEW 333-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	

HIGH-TACK
PERMANENT
















201HTAP	3.4 mil - Matte White Vinyl Clear High-Tack Permanent Adhesive 90# Layflat Liner	5 yr / -	201HTAP-54 201HTAP-60 201HTAP-54300*NEW 201HTAP-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	
201HTAPAE NEW	3.4 mil - Matte White Vinyl Clear High-Tack Permanent Adhesive 90# Air Egress Layflat Liner	5 yr / -	201HTAPAE-54 201HTAPAE-60	54"x150' 60"x150'	
203HTAP NEW	3.0 mil - Gloss White Vinyl Clear High-Tack Permanent Adhesive 90# Layflat Liner	5 yr / -	203HTAP-54 203HTAP-60	54"x150' 60"x150'	
203HTAPAE NEW	3.0 mil - Gloss White Vinyl Clear High-Tack Permanent Adhesive 90# Air Egress Layflat Liner	5 yr / -	203HTAPAE-54 203HTAPAE-60	54"x150' 60"x150'	
235	MotoMark™ GRIP 4.0 mil - Matte White Vinyl Clear Solvent High Bond *LSE Permanent Adhesive 90# Layflat Liner (238 Laminate Recommended) *LOW SURFACE ENERGY	5 yr / -	235-24 235-30 235-54 235-60	24"x150' 30"x150' 54"x150' 60"x150'	
275	SubMark™ 3.5 mil - Matte White Opaque Transit Vinyl Clear Solvent High-Tack Permanent Adhesive 90# Layflat Printed Logo Liner OUTFRONT™ approved product	5 yr / -	275-54 275-60 275-62	54"x150' 60"x150' 62"x150'	

High-Tack Films Continued on Page 8

*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.





















HIGH-TACK cont. REMOVABLE

LAMINATES GENERAL

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
**212	Traffic Graffix™ 3.4 mil - Matte White "Carpet Advertising" Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner **DURABILITY AND REMOVABILITY SPECIFICATIONS ARE CONTINGENT UPON USING TRAFFIC GRAFFIX MATCHED COMPONENT SYSTEM (GF BASE MEDIA & GF UL RATED LAMINATE)	5 yr / 6 mo	212-54	54"x150'	
+226HTR NEW	WallMark™ HTR 6.0 mil - Matte White Semi-Rigid Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	226HTR-54	54"x100'	
228	TransMark™ 6.0 mil - Matte White Translucent Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner curb Taxi Top approved product	3 yr / 1 yr	228-54 228-60	54"x100' 60"x100'	
+229HTR NEW	WallMark™ Canvas HTR 6.0 mil - Matte White Embossed Canvas Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	229HTR-54 229HTR-60	54"x100' 60"x100'	
+262HTR NEW	WallMark™ Sand HTR 6.0 mil - Matte White Sand Embossed Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	262HTR-54	54"x100'	
+263HTR NEW	WallMark™ Stucco HTR 6.0 mil - Matte White Stucco Embossed Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	263HTR-54	54"x100'	
+264HTR NEW	WallMark™ Leather HTR 6.0 mil - Matte White Leather Embossed Wall Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	*5 yr / 1 yr	264HTR-54	54"x100'	
+285	RoughMark™ 3.5 mil - Matte White Opaque Conformable Wall Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner (If Laminate is desired, 242 Gloss Laminate is recommended)	5 yr / 6 mo	285-54 285-5475 285-60 285-6075	54"x150' 54"x75' 60"x150' 60"x75'	
+287	RoughMark™ Clear 3.0 mil - Matte Clear Polymeric Conformable Wall Vinyl Clear Solvent High-Tack Removable Adhesive 90# Layflat Liner (If Laminate is desired, 242 Gloss Laminate is recommended)	5 yr / 6 mo	287-54 287-5475 287-60 287-6075	54"x150' 54"x75' 60"x150' 60"x75'	
* Indoor Durability of Material Under Normal Conditions + ASTM E84 Class 1 or A (Rating Standard Test Method for Surface Burning Characteristics of Building Materials)					
100	3.0 mil - Gloss Clear Vinyl Laminate Clear Permanent Adhesive 53# Liner	1 yr / -	100-38 100-51 100-54 100-61 100-54300*NEW 100-61300*NEW	38"x150' 51"x150' 54"x150' 61"x150' 54"x300' 61"x300'	
101	3.0 mil - Lustre Clear Vinyl Laminate Clear Permanent Adhesive 53# Liner VERIFONEMEDIA Taxi Top Solution Product curb Taxi Top approved product	1 yr / -	101-31 101-38 101-51 101-54 101-61 101-54300*NEW 101-61300*NEW	31"x150' 38"x150' 51"x150' 54"x150' 61"x150' 54"x300' 61"x300'	
102	3.0 mil - Matte Clear Vinyl Laminate Clear Permanent Adhesive 53# Liner	1 yr / -	102-31 102-38 102-51 102-54 102-61 102-54300*NEW 102-61300*NEW	31"x150' 38"x150' 51"x150' 54"x150' 61"x150' 54"x300' 61"x300'	
400	3.0 mil - Gloss UV Clear Vinyl Laminate Clear Permanent Adhesive 53# Liner	4 yr / -	400-30 400-38 400-54 400-60 400-54300*NEW 400-60300*NEW	30"x150' 38"x150' 54"x150' 60"x150' 54"x300' 60"x300'	
401	3.0 mil - Lustre UV Clear Vinyl Laminate Clear Permanent Adhesive 53# Liner	4 yr / -	401-30 401-38 401-54 401-60 401-54300*NEW 401-60300*NEW	30"x150' 38"x150' 54"x150' 60"x150' 54"x300' 60"x300'	
402	3.0 mil - Matte UV Clear Vinyl Laminate Clear Permanent Adhesive 53# Liner	4 yr / -	402-30 402-38 402-54 402-60 402-54300*NEW 402-60300*NEW	30"x150' 38"x150' 54"x150' 60"x150' 54"x300' 60"x300'	

Laminates Continued on Page 9

*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
231	AutoMark™ 2.4 mil - Gloss Clear UV Wrap Laminate Clear Solvent Permanent Adhesive 53# Liner	7 yr / -	231-54 231-60 231-54300*NEW 231-60300*NEW	54"x150' 60"x150' 54"x300' 60"x300'	
240	AutoMark™ 2.4 mil - Matte Clear UV Wrap Laminate Clear Solvent Permanent Adhesive 53# Liner	7 yr / -	240-54 240-60	54"x150' 60"x150'	
238	MotoMark™ ARMOR 12 mil - Gloss Clear UV Laminate Clear Solvent Permanent Adhesive 53# Liner	5 yr / -	238-24 238-30 238-54 238-60	24"x75' 30"x75' 54"x75' 60"x75'	
242	2.0 mil - Optically Clear UV Gloss Cast Laminate Optically Clear Solvent Permanent Adhesive 2.0 mil Smooth Frosted Polyester Liner OUTFRONT™ approved product	7 yr / -	242-54 242-60	54"x150' 60"x150'	
247 NEW	Print-n-Lam™ 3.0 mil - Gloss Clear UV Polymeric Vinyl Laminate Clear Permanent Adhesive 90# Layflat Liner	7 yr / -	247-54 247-60	54"x150' 60"x150'	   
248 NEW	Print-n-Lam™ 3.0 mil - Matte Clear UV Polymeric Vinyl Laminate Clear Permanent Adhesive 90# Layflat Liner	7 yr / -	248-54 248-60	54"x150' 60"x150'	   
110 NEW	EraseMark Pro™ 2.0 mil - Commercial Grade Dry Erase Gloss Clear Polyester Laminate High Performance Engineered Surface Clear Solvent Permanent Adhesive 53# Liner *(Indoor Only)	*5 yr / -	110-54	54"x150'	
111	EraseMark™ 2.0 mil - Dry Erase Gloss Clear Polypropylene Laminate Clear Permanent Adhesive 53# Liner <i>*Please review product data bulletin for recommended applications. Intended for short term / indoor use only (3-6 months, not a commercial use product)</i>	*6 mo / -	111-38 111-51 111-54 111-54300*NEW	38"x150' 51"x150' 54"x150' 54"x300'	
103	5.0 mil - Clear Textured Matte Polycarbonate Laminate Clear Solvent Permanent Adhesive 1.5 mil Clear Polyester Liner	- / -	103-38 103-51 103-54	38"x150' 51"x150' 54"x150'	
*109	Traffic Graffix™ 5.0 mil - Scratch Resistant Textured Matte Vinyl Floor Laminate Clear Solvent Permanent Adhesive 1.5 mil Clear Polyester Liner Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 65 Wet PTV: 29 • ANSI A137.1/A326.3 - Dry DCOF: 0.96 Wet DCOF 0.28 • DIN 51130 - R9	- / -	109-38 109-51 109-54 109-54300*NEW	38"x150' 51"x150' 54"x150' 54"x300'	
*211	Traffic Graffix™ 6.0 mil - Gloss Clear Light Emboss Floor Laminate Clear Permanent Adhesive 53# Liner Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 81 Wet PTV: 20 • ANSI A137.1/A326.3 - Dry DCOF: 0.94 Wet DCOF 0.29	- / -	211-54	54"x150'	
*213	Traffic Graffix™ 3.75 mil - Embossed Clear Polypropylene Floor Laminate Clear Permanent Adhesive 53# Liner <i>Indirect Food Contact Solution - The film and adhesive complies with the following citations in 21CFR 174 thru 182 and 21CFR 175.105 respectively</i> Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 66 Wet PTV: 30 • ANSI A137.1/A326.3 - Dry DCOF: 0.94 Wet DCOF 0.29 • DIN 51130 - R9	- / -	213-54 213-60	54"x150' 60"x150'	
*217	Traffic Graffix™ 3.0 mil - Gloss Clear Vinyl Floor Laminate Clear Permanent Adhesive 53# Liner Slip Resistance Ratings - Test Methods: UL 410 - Slip Resistant • AS HB198:2014 (AS/NZS 4586) - Dry PTV: 79 Wet PTV: 18 • ANSI A137.1/A326.3 - Dry DCOF: 0.96 Wet DCOF 0.24	- / -	217-54	54"x150'	
*DURABILITY AND REMOVABILITY SPECIFICATIONS ARE CONTINGENT UPON USING TRAFFIC GRAFFIX MATCHED COMPONENT SYSTEM (GF BASE MEDIA & GF UL RATED LAMINATE)					
108 NEW	Tedlar® by DuPont™ 1.0 mil - Clear Tedlar® Anti-Graffiti Laminate Clear Solvent Permanent Adhesive 53# Liner	10 yr / -	108-54	54"x150'	

LAMINATES cont.

GENERAL

DRY ERASE

FLOORS / COUNTER MATS

SPECIALTY

Laminates Continued on Page 10

*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.

OPTICALLY CLEAR

MOUNTING FILMS

SERIES	PRODUCT DESCRIPTION	DURABILITY / REMOVABILITY	PART #	SIZE	ADHESIVE / INK TYPE
105	2.0 mil - High Gloss Optically Clear Polyester Laminate Optically Clear Solvent Permanent Adhesive 1.5 mil Clear Polyester Liner	2 yr / -	105-31	31"x150'	
			105-38	38"x150'	
			105-51	51"x150'	
			105-54	54"x150'	
			105-61	61"x150'	
106	1.0 mil - Optically Clear Polyester Mounting Film Optically Clear Solvent Permanent Adhesive - Both Sides 1.5 mil Clear Polyester Liner - Both Sides	1 yr / -	106-31	31"x150'	
			106-38	38"x150'	
			106-51	51"x150'	
			106-54	54"x150'	
242	2.0 mil - Optically Clear UV Gloss Cast Laminate Optically Clear Solvent Permanent Adhesive 2.0 mil Smooth Frosted Polyester Liner OUTFRONT^{media} approved product	7 yr / -	242-54	54"x150'	
			242-60	60"x150'	
255	OptiMark™ 3.0 mil - Optically Clear Gloss Vinyl Optically Clear Solvent Removable Adhesive 2.0 mil Traction Backed Polyester Liner	3 yr / 1 yr	255-54	54"x150'	
			255-60	60"x150'	
106	1.0 mil - Optically Clear Polyester Mounting Film Optically Clear Solvent Permanent Adhesive - Both Sides 1.5 mil Clear Polyester Liner - Both Sides	1 yr / -	106-31	31"x150'	
			106-38	38"x150'	
			106-51	51"x150'	
			106-54	54"x150'	
107	1.5 mil - White Opaque Print Mounting Film White Opaque Polypropylene High-Tack Clear Permanent Adhesive - Both Sides 76# Liner (Self-Wound) <i>(Indoor only)</i>	1 yr / -	107-31	31"x150'	
			107-38	38"x150'	
			107-51	51"x150'	
			107-54	54"x150'	
			107-60	60"x150'	
112	0.5 mil - Clear Polyester Print Mounting Film High-Tack Clear Permanent Adhesive - Both Sides 76# Liner (Self-Wound) <i>(Indoor only)</i>	1 yr / -	112-38	38"x150'	
			112-51	51"x150'	
			112-54	54"x150'	
**113	1.0 mil - Clear Polyester Perm/Removable Print Mounting Film High-Tack Clear Permanent Adhesive 1-Side Low-Tack Clear Removable Adhesive 1-Side Clear 1.2 mil Polyester Liner Printed (Self-Wound)	6 mo / 6 mo	113-38	38"x150'	
			113-51	51"x150'	
			113-54	54"x150'	
114	1.0 mil - Clear Polyester Perm/Removable Print Mounting Film High-Tack Clear Permanent Adhesive 1-Side Low-Tack Clear Removable Adhesive 1-Side 76# Liner (Self-Wound)	6 mo / 6 mo	114-38	38"x150'	
			114-51	51"x150'	
			114-54	54"x150'	
			114-54300*NEW	54"x300'	
**116	1.0 mil - Clear Polyester Removable "Air-Egress" Print Mounting Film High-Tack Clear Permanent Adhesive 1-Side / 1.5 mil PET Clear Liner High-Tack Clear Solvent Removable Adhesive 1-Side / 4.5 mil Clear Air Egress Printed PET Liner	1 yr / 6 mo	116-54	54"x150'	
			116-54300*NEW	54"x300'	
**118	1.0 mil - Clear Polyester Removable Print Mounting Film High-Tack Clear Permanent Adhesive 1-Side / 1.5 mil PET Clear Liner Low-Tack Clear Removable Adhesive 1-Side / 1.2 mil Printed PET Clear Liner	6 mo / 6 mo	118-54	54"x150'	
			118-54300*NEW	54"x300'	

**Printed with "Remove to Expose Adhesive" on the Removable Adhesive Side

*Please note 300' size rolls come standard on 3" cores and may contain a splice. Consult printer manufacturer specifications for roll diameter and weight tolerances.

ADHESIVE LEGEND

	Permanent Adhesive / Clear		Removable Repositionable Wall Adhesive / Clear
	Permanent Adhesive / Grey		Removable Adhesive / Clear
	Permanent Repositionable Adhesive / Grey		Low-Tack Removable Adhesive / Clear
	Permanent Repositionable Adhesive / Clear		High-Tack Removable Adhesive / Clear
	Permanent Opaque Adhesive / Grey		High-Tack *LSE Permanent Adhesive / Clear
	Permanent Repositionable Adhesive / Grey		High-Tack Permanent Adhesive / Clear
	Permanent Repositionable Adhesive / Clear		High-Tack Permanent Adhesive / Clear
	Permanent Slidable Repositionable Adhesive / Grey		High-Tack Removable Adhesive / Clear

*Low Surface Energy

Adhesive Type




Adhesive Color
G = Grey C = Clear



Air Egress Liner

INK COMPATIBILITY LEGEND





APPLICATION CHART

SERIES	General Signage, Displays, P.O.P.	Vehicle Wraps	Fleet & Vehicle Graphics	Clear (Transparent)	Low Surface Energy	Translucent	Semi-Rigid	Transit (Outdoor Advertising Media)	Windows (Removable "R" - Permanent "P")	Walls (Smooth Dry Wall-Removable)	Walls (Moderately Textured Surfaces)	Floors (Tile & smooth sealed cement)	Carpet (Short loop commercial)	Outdoor	Indoor
201	●													●	●
201HTAP	●			●										●	●
201HTAPAE	●			●										●	●
201OAP	●													●	●
201OAPAE	●													●	●
202	●							● R						●	●
203	●													●	●
203HTAP	●			●										●	●
203HTAPAE	●			●										●	●
203OAP	●													●	●
203OAPAE	●													●	●
204	●							● R						●	●
205	●		●											●	●
206	●		●					● R						●	●
207	●		●					● R						●	●
208	●						●	● R						●	●
209	●						●							●	●
210	●									●				●	●
212	●										●			●	●
214	●											●		●	●
216	●													●	●
218	●					●		● R						●	●
219	●		●			●		● R						●	●
220	●					●								●	●
221	●					●		● R						●	●
222	●					●								●	●
223	●					●		● R						●	●
224	●				●			● P						●	●
226	●					●			●					●	●
226HTR	●			●		●		● R	●					●	●
228	●				●		●	● R						●	●
229	●					●			●					●	●
229HTR	●			●		●		● R	●					●	●
230	●	●	●											●	●
232	●	●	●				●	● R						●	●
234	●								●					●	●
235	●			●										●	●
246	●		●											●	●
247	●		●	●			●							●	●
248	●		●	●			●							●	●
253	●								●					●	●
255	●		●					● R						●	●
260	●						●	● R						●	●
261	●							● R						●	●
262HTR	●			●		●		● R	●					●	●
263HTR	●			●		●		● R	●					●	●
264HTR	●			●		●		● R	●					●	●
270	●							● R						●	●
275	●			●			●							●	●
277	●						●							●	●
280	●							● R						●	●
285	●			●			●			●				●	●
287	●		●	●						●				●	●
290	●			●				● R	●					●	●
295	●								●					●	●
333	●	●	●											●	●
780	●	●	●				●							●	●
790AE	●							● P						●	●

Please see Technical Data Sheets at www.generalformulations.com for complete information.



CORPORATE HEADQUARTERS

309 S. UNION
SPARTA, MI 49345
800.253.3664

www.generalformulations.com

U.S. LOCATIONS

SPARTA, MI
ATLANTA, GA
LOS ANGELES, CA

INTERNATIONAL LOCATION

COLOGNE, GERMANY

MANUFACTURERS OF
PRESSURE SENSITIVE FILMS